

UNCLASSIFIED

AD NUMBER	
AD007274	
CLASSIFICATION CHANGES	
TO:	unclassified
FROM:	confidential
LIMITATION CHANGES	
TO:	Approved for public release, distribution unlimited
FROM:	Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 14 NOV 1952. Other requests shall be referred to Office of Naval Research, Arlington, VA 22203.
AUTHORITY	
ONR ltr dtd 10 Apr 1961; ONR ltr dtd 26 Oct 1977	

THIS PAGE IS UNCLASSIFIED

Reproduced by

Armed Services Technical Information Agency
DOCUMENT SERVICE CENTER

KNOTT BUILDING, DAYTON, 2, OHIO

AD -

7274

CONFIDENTIAL

**Best
Available
Copy**

AD No. 7274
ASTIA FILE COPY

TELEPHONE CRAWFORD 7071

CONFIDENTIAL
COMMERCIAL SOLVENTS CORPORATION
TERRE HAUTE, INDIANA

November 14, 1952
Copy No. 15

Report No. Q-4
(Quarterly Summary)

SUBJECT: ONR Nitropolymer Research

CONTRACT: Nonr-397(00)

PERIOD COVERED: August 1, 1952 to
October 31, 1952

SUBMITTED BY: John T. Minor

APPROVED BY: Jerome Martin
Jerome Martin
Director of Research

This document contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C., Sections 793 and 794. The transmission or the revelation of its contents in any manner to an unauthorized person is prohibited by law.

SECURITY INFORMATION

CONFIDENTIAL

CONFIDENTIAL

COMMERCIAL SOLVENTS CORP.

Report No. Q-4

TABLE OF CONTENTS

	<u>Page</u>
Contract Fulfillment	iii
I. SUMMARY	1
II. HIGH PRESSURE NITRATION STUDIES	1
A. Cyclohexanone	1
B. 2-Nitrobutane	2
C. 1-Nitropropane	2
D. Propane	2
III. PILOT PLANT PROCESS FOR DMPD	2
A. Discussion	2
B. Experimental	3
1. Silver Nitrate Recovery	3
2. Salt Preparation	3
3. Oxidative-Nitration Reaction	3
4. Product Isolation	3
C. Material and Labor Costs	4
Distribution of this Report	5

SECURITY INFORMATION

CONFIDENTIAL

CONFIDENTIAL

COMMERCIAL SOLVENTS CORP.

Report No. Q-4

CONTRACT FULFILLMENT

This quarterly report is submitted in partial fulfillment of Contract Nonr-397(00).

SECURITY INFORMATION

CONFIDENTIAL

CONFIDENTIAL

COMMERCIAL SOLVENTS CORP.

Report No. Q-4

I. SUMMARY

A. This quarterly summary report is the fourth under Contract Nonr-397(00) and covers the period from August 1, 1952 to October 31, 1952. The object of this contract is as follows: Shall conduct research in the synthesis of polynitro compounds to include, but not necessarily be limited to, a review of the chemistry and the processes of preparation of the more useful products of research from the nitropolymer program and investigate the application of processes not now employed in the preparation.

B. The more important results and conclusions of the work reported are presented below:

1. The high pressure nitrations of cyclohexanone with 30% nitric acid gives adipic acid only. The yields run up to 49%.

2. 2-Nitrobutane can be nitrated with 62% nitric acid at 180°C. and 1000 p.s.i.g. to give 2,2-dinitrobutane in 10% yield.

3. When nitric acid and 1-nitropropane are reacted under pressure at 180°C., there is considerable gas formed and no isolatable product. Small amounts of 1-nitropropane can be recovered.

4. 2,2-Dinitropropane and 2-nitropropane are the major products when propane and nitric acid are reacted under pressure.

5. A process is given for pilot plant production of 2,2-dinitropropanediol on a 0.15 lb-mol scale.

6. The material and labor cost for DNPD pilot plant production is \$11.44 per lb.

II. HIGH PRESSURE NITRATION STUDIES

A. CYCLOHEXANONE

In attempts to introduce the nitro group into a cyclic compound, or to break the cyclic chain and retain nitro groups, cyclohexanone was used as the example of the cyclic ketones. When cyclohexanone and 30% nitric acid were reacted for 20 min. at 1000 p.s.i.g. in the high pressure system, the only product isolated was adipic acid, m.p. 150-151°C. Seven temperatures were used, ranging from 80°C. to 180°C. At the higher temperatures, the yields were lower and more gas was formed.

<u>Temperature, °C.</u>	<u>Yield of Adipic Acid</u>
80	39
90	40
100	45
120	43
140	49
160	37
180	29

SECURITY INFORMATION
CONFIDENTIAL

CONFIDENTIAL

COMMERCIAL SOLVENTS CORP.

Report No. Q-4
Page 2

A run was made using 90% nitric acid in one stage of the pump and cyclohexanone dissolved in acetic anhydride in the other stage of the pump. Directly following the mixing point, at room temperature, excessive heating took place and after 40 min. of the run the line plugged from decomposition residue. No product could be isolated.

B. 2-NITROBUTANE

2-Nitrobutane was nitrated in the pressure system at 1000 p.s.i.g. and 180°C. with 62% nitric acid. When the nitric acid to nitrobutane mole ratio was 3 to 1, a 10% yield of 2,2-dinitrobutane was obtained. Of the original 2-nitrobutane, 36% was recovered.

C. 1-NITROPROPANE

In an attempted pressure nitration of 1-nitropropane at 1000 p.s.i.g. and 180°C. with 62% nitric acid there was excessive gassing. Of the 4550 ml. of total material fed to the reactor, only 2770 ml. were recovered as product. From this reaction product, the only compound obtained was 10% of the original 1-nitropropane.

D. PROPANE

The investigation of the preparation of DNP (2,2-dinitropropane) from propane and nitric acid was undertaken so that a comparison could be made of the cost of producing DNP by the oxidative-nitration reaction* and directly from propane. When 60% nitric acid and propane were reacted at 180°C., 1000 p.s.i.g. pressure, in a 1 to 1 mole ratio, local heating or "hot spots" became uncontrollable. When 40% nitric acid was used under similar conditions, DNP and 2-nitropropane were the only products isolated. The quantity of 2-NP produced under these conditions is about 2.5 moles for each mole of DNP.

This work is not completed and more favorable conditions will be studied when the reaction system is revised for better heat control.

III. PILOT PLANT PROCESS FOR DMPD (2,2-DINITRO-1,3-PROPANEDIOL)

A. DISCUSSION

We have examined the DMPD preparation from nitromethane and formaldehyde using the oxidative-nitration reaction. It was thought desirable to find an extractant other than ethyl ether and a more readily available recrystallizing solvent than 1-chloro-1-nitroethane. The use of these two solvents does give a very high grade product, but the use of ether in the pilot plant is hazardous and undesirable. The use of isopropyl acetate as the extracting solvent and ethylene dichloride as the recrystallizing solvent produces a product of acceptable quality. Isopropyl

*Commercial Solvents Report Q-3, p. 2.

CONFIDENTIAL

CONFIDENTIAL

COMMERCIAL SOLVENTS CORP.

Report No. Q-4

Page 3

acetate has a favorable distribution coefficient, as does ethyl acetate, but was preferred as it forms a minimum boiling azeotrope with water, thus eliminating chemical drying of the extract. One gram of DNPD can be recrystallized from 1.5 to 2.0 ml. of ethylene dichloride with good recovery.

B. EXPERIMENTAL

1. Silver Nitrate Recovery

The silver cake filtered from previous runs, equivalent to 0.3 mol, is placed in a stainless steel or ceramic vessel which can be heated and agitated. The 27 lbs. (0.43 mol) of nitric acid, calculated to weight from the carboy analysis, is added in portions in a well ventilated hood. When the reaction has subsided, the solution is heated to the boiling point with agitation, and this is continued until all the metal has dissolved. The solution is made up to 150 lbs. total weight with chlorine-free water and the pH is adjusted to 5.9 with sodium hydroxide. A 100-g. sample is taken, diluted to one liter and aliquots titrated with standard ammonium thiocyanate solution using a ferric sulfate indicator. The amount of silver nitrate present in the solution is calculated and if not 51.0 lbs. (0.30 mol), it is made up to that weight by adding silver nitrate crystals. This solution is then ready for the reaction when cooled to 15°C.

2. Salt Preparation

A vessel with efficient cooling is required for this step. When unavailable, part of the water added must be replaced by crushed ice. Add to the vessel 9.2 lbs. (0.15 mol) of nitromethane, 9.0 lbs. (0.30 mol) of formaldehyde as 24.3 lbs. of 37% solution, and 47 lbs. of water. Agitate and chill the solution and slowly add 6.6 lbs. (0.16 mol) of tech. sodium hydroxide dissolved in 13 lbs. of water, keeping the temperature below 30°C. Cool before using to 15°C.

3. Oxidative-Nitration Reaction

The silver nitrate solution is placed in a vessel equipped with cooling coils or jacket and an efficient stirrer. The salt solution is added as rapidly as possible, holding the temperature below 25°C., and the resulting slurry is stirred for 1/2 hr. The precipitated silver should be spongy in nature and green in color for easy filtering.

4. Product Isolation

The reaction mixture is filtered and the silver cake washed and returned for silver nitrate recovery. The filtrate is extracted by means of a packed column or batchwise by three extractions of isopropyl acetate, each volume of solvent being equal to one-half the volume of the extracted solution. The raffinate is discarded if no silver ions are present. If silver is present, it may be recovered by making the raffinate basic with hydroxide and filtering. The filtrate is now discarded and the precipitate of silver oxide is added to the silver cake for recovery.

No drying of the isopropyl acetate extract is necessary as the water-isopropyl acetate azeotrope will remove the dissolved water when concentrating. The extract is concentrated to the minimum volume, trying to remove all the acetate and keeping the liquid temperature below 45°C. The residue is then dissolved in

CONFIDENTIAL

CONFIDENTIAL

COMMERCIAL SOLVENTS CORP.

Report No. Q-4
Page 4

25 lbs. of ethylene dichloride at 80-82°C., filtered and treated with char if necessary and cooled to 5°C. After filtering off the crystallized DNPD, there should be 12 to 15 lbs. of dried DNPD. A second crop is obtained by evaporating and cooling the combined mother liquors.

C. MATERIAL AND LABOR COSTS

The cost of starting materials and losses are tabulated for a 0.15 lb-mol reaction. Labor is estimated to require two operators for 24 hrs. plus one-third the time of a supervisor, or \$5.10 per hour. The yield is based on 50%, or 12.5 lbs. of DNPD.

Nitromethane	\$2.30
Formaldehyde	.63
Sodium hydroxide	.25
Sodium nitrite	.83
Silver nitrate (2% loss)	8.68
Nitric acid	1.49
Isopropyl acetate (10% loss)	5.30
Ethylene dichloride (40% loss)	<u>1.20</u>
Total	20.68
Labor	<u>122.50</u>
 Total cost for labor and material	 \$143.18
 Labor and material cost per lb. DNPD	 \$11.44

CONFIDENTIAL

CONFIDENTIAL

COMMERCIAL SOLVENTS CORP.

**Report No. Q-4
Page 5**

	<u>No. of Copies</u>		<u>No. of Copies</u>
Commanding General Aberdeen Proving Ground Maryland Attn: Ballistic Research Labs ORDEG-BLI	2	Aerojet Engineering Corporation P. O. Box 296 Azusa, California Attn: Librarian Mrs. Myra T. Grenier	2
Dept. of the Army Office, Chief of Ordnance Washington 25, D. C. Attn: ORDTU	2	Allegany Ballistics Laboratory P. O. Box 210 Cumberland, Maryland Attn: Dr. L. G. Bonner	1
Dept. of the Army Office, Chief of Ordnance Washington 25, D. C. Attn: ORDTX-AR	2	Armour Research Foundation of Illinois Institute of Technology Technology Center Chicago 16, Illinois Attn: Dr. L. V. Griffis	1
Officer in Charge Office, Ordnance Research 2127 Myrtle Drive Duke University Durham, North Carolina	3	Atlantic Research Corporation 812 North Fairfax Street Alexandria, Virginia Attn: Dr. A. C. Scurlock	1
Commanding Officer Picatinny Arsenal Dover, New Jersey Attn: Library	2	U. S. Bureau of Mines 4800 Forbes Street Pittsburgh 13, Pennsylvania Attn: Dr. Bernard Lewis	2
Commanding Officer Redstone Arsenal Huntsville, Alabama Attn: ORC Technical Library	2	Catholic University of America 7th St. and Michigan Ave. N. E. Washington 17, D. C. Attn: Dr. F. O. Rice	1
Dept. of the Air Force Hq. USAF, DCS/D Washington 25, D. C. Attn: AFIRD-AC-3 Col. Paul F. May	1	E. I. du Pont de Nemours and Co. 10th and Markets Streets Wilmington, Delaware Attn: W. F. Jackson	1
Commanding General Wright-Patterson Air Force Base Dayton, Ohio Attn: WCEGH-2	1	Dr. A. M. Ball Hercules Experiment Station Wilmington, Delaware	1
Commanding General Wright-Patterson Air Force Base Dayton, Ohio Attn: WCNEH-3	1	Jet Propulsion Laboratory 4800 Oak Grove Drive Pasadena 3, California Attn: Dr. Louis G. Dunn	1

CONFIDENTIAL

CONFIDENTIAL

COMMERCIAL SOLVENTS CORP.

Report No. Q-4
Page 6

	<u>No. of Copies</u>		<u>No. of Copies</u>
The M. W. Kellogg Company Ft. of Banforth Ave. Jersey City, New Jersey Attn: Samuel Baig Special Projects Dept.	1	Project Squid Princeton University Princeton, New Jersey Attn: Librarian	1
Arthur D. Little, Inc. 30 Memorial Drive Cambridge 42, Mass. Attn: Dr. C. S. Keevil	1	Rohm and Haas Company Redstone Arsenal Research Div. Huntsville, Alabama Attn: Dr. Clayton Huggett	1
Arthur D. Little, Inc. 30 Memorial Drive Cambridge 42, Mass. Attn: Dr. W. C. Lothrop	1	Solid Propellant Information Agency Applied Physics Laboratory The Johns Hopkins University Silver Spring, Maryland Attn: Mr. Ross H. Petty	6
The Glenn L. Martin Company Baltimore 3, Maryland Attn: Mr. S. P. Gualillo	1	Standard Oil Company Research Department P. O. Box 431 Whiting, Indiana Attn: Dr. W. H. Bahlke	1
Midwest Research Institute 4049 Pennsylvania Kansas City, Missouri Attn: W. Sherman Gillam	1	Thiokol Corporation Redstone Arsenal Huntsville, Alabama Attn: Mr. W. R. Ignatius	1
University of Minnesota Oak Street Laboratories 2013 University Avenue Minneapolis 14, Minnesota Attn: Prof. B. L. Crawford, Jr.	1	Thiokol Corporation 780 North Clinton Ave. Trenton 7, New Jersey Attn: Mr. H. R. Ferguson	1
National Fireworks Ordnance Corp. West Hanover, Massachusetts Attn: Mr. S. J. Porter	1	Thiokol Corporation Research and Development Dept. 780 North Clinton Ave. Trenton 7, New Jersey Attn: Mr. E. M. Fettes	1
Ohio State University Research Foundation Columbus 10, Ohio Attn: Dr. Harold Shechter	1	U. S. Rubber Company General Laboratories Market and South Streets Passaic, New Jersey Attn: Dr. P. O. Tawney	1
Ohio State University Research Foundation Columbus 10, Ohio Attn: Prof. M. L. Wolfrom	1	Western Cartridge Company East Alton, Illinois Attn: Mr. R. L. Womer	1
Phillips Petroleum Company Bartlesville, Oklahoma Attn: Mr. J. P. Alden	1		

CONFIDENTIAL

CONFIDENTIAL

COMMERCIAL SOLVENTS CORP.

**Report No. Q-4
Page 7**

	<u>No. of Copies</u>		<u>No. of Copies</u>
British Joint Services Mission Technical Services 1800 K Street, N. W. Washington, D. C. Attn: Dr. L. Phillips	4	Dept. of the Navy Office of Naval Research Washington 25, D. C. Attn: Code 429	5
Dept. of the Navy Bureau of Aeronautics Washington 25, D. C. Attn: SI-5	1	Commanding Officer Office of Naval Research Branch Office The John Crerar Library Bldg. 10th Floor 86 East Randolph Street Chicago 1, Illinois Attn: Lt. M. C. Lang	1
Dept. of the Navy Bureau of Ordnance Washington 25, D. C. Attn: Ad3, Technical Library	1	Commanding Officer Office of Naval Research 1030 East Green Street Pasadena 1, California	1
Dept. of the Navy Bureau of Ordnance Washington 25, D. C. Attn: Section Re2d	1	Chief, Bureau of Aeronautics Department of the Navy Washington 25, D. C. Attn: TD-4	2
Commander U. S. Naval Air Missile Test Center Point Mugu, California Attn: Technical Library	2	Dr. G. B. Bachman Department of Chemistry Purdue University Lafayette, Indiana	1
Commanding Officer U. S. Naval Air Rocket Test Station Lake Denmark Dover, New Jersey Attn: Technical Library	1	Bureau of Aeronautic Representative 15 South Raymond Ave. Pasadena 1, California	1
Commanding Officer U. S. Naval Powder Factory Indian Head, Maryland Attn: Research and Development Department	2	Dr. Roy Sugimoto Ethyl Corporation 1600 West Eight Mile Road Ferndale 20 Detroit, Michigan	1
Commander U. S. Naval Proving Ground Dahlgren, Virginia Attn: M. I. Division	1	Dr. Elizabeth F. Riley Department of Chemistry The Ohio State University Columbus 10, Ohio	1
Commander U. S. Naval Ordnance Laboratory White Oak Silver Spring, Maryland Attn: Library	1	Dr. Henry Feuer Department of Chemistry Purdue University Lafayette, Indiana	1
Commander U. S. Naval Ordnance Test Station Inyokern, China Lake, California Attn: Technical Library Branch	3	Dr. Joseph W. Lang Director of Research Central Research Laboratory General Aniline & Film Corp. Lincoln and Coal Streets Easton, Pennsylvania	1

CONFIDENTIAL